

# G.G. TYRES & TUBES PVT. LTD.

## Size's Wise List of Export

S.NO	SIZE	VALVE	WEIGHT OF TUBE (kgs)	Tube per Carton
<b>TWO WHEELERS</b>				
1	225/250-16	TR29	0.320	60
2	23 X 200 / 225-19	TR29	0.340	60
3	275/300-14	TR29	0.400	60
4	350-8	V1-08-03	0.320	60
5	275/3.00-10	V1-08-01	0.300	60
6	350-10,90/90-10,100/90-10,90/100-10	V1-08-01	0.400	55
7	225/2.50-17	TR29	0.320	60
8	275/3.00-17	TR29	0.440	50
9	90-90/12,300-12	V1-08-01	0.400	35
10	300-18	TR29	0.480	50
11	3.25/3.50-18	TR29	0.520	40
12	100/90-17,90/90-17,100/80-17	TR29	0.540	40
13	100/90-18,90/90-18,100/80-18	TR29	0.560	40
14	130/90-15	TR29	0.800	25
15	300-19	TR29	0.500	40
16	325/350-19/100-90/19	TR29	0.580	40
17	325/350-16	TR29/TR4	0.530	50
18	120/130/80-16	TR29	0.800	30
19	120/130/80-17	TR29	0.800	30
20	130/140/70-17	TR29	0.800	30
21	140/60/70-17	TR29	0.800	30
22	4.10-18	TR29	0.560	40
<b>THREE WHEELERS</b>				
23	400-8	V1-08-03	0.400	55
24	400-10	TR13	0.450	55
25	450/500-10	TR13	0.580	45
26	500/570-8	JS87	0.450	55
27	400-8	TR13	0.400	55
<b>PASS - RADIALS</b>				
28	145/70 R-12	TR13	0.540	35
29	145/70 R-13	TR13	0.580	35
30	155/70 R-13	B-46-357	0.580	35
31	165/65 R 13,165/80 R 13	B-46-357	0.580	35
32	615.R13	TR13	0.580	35
33	5.50 R 13,5.60 R 13, 1.65 D13	B-46-357	0.580	35
34	1.55 / 80 R 14	B-46-357	0.620	30

35	175/70 R 13, 185/60 R 13	B-46-357	0.620	30
36	165/80 R 14	TR13	0.780	25
37	165/80 R14 (L.V)	B-46-357	0.780	25
38	175/65 R-14	TR13	0.780	25
39	175/65 R14 (L.V)	B-46-357	0.780	25
40	185/195 70R14	B-57-357	0.900	25
41	175/185 65R15	B-57-357	0.900	20
42	185/195 60R15	B-57-357	0.900	20
43	195/205 R15	TR13	1.250	15
44	195/205 R15 (L.V)	B-46-357	1.250	15
45	215/70 R15	TR13	1.250	15
46	185/85 R 16	TR13	1.250	15
47	205/215 60R16	TR13	1.250	15
48	215/65 R 16	TR13	1.300	15
49	235/255 70 R 16	B-57-357	1.350	15
50	235/265/65 R 17	B-57-357	1.800	12
	<b>PASS - BIAS</b>			
51	450/565-12	TR13	0.540	35
52	500-12	TR13	0.950	25
53	155/165-80 D 12	TR13	0.560	35
54	590/640-15	TR13	0.900	20
55	520/560-14	TR13	0.800	25
	<b>JEEP / GYSPY</b>			
56	F.78.15	TR13	1.250	20
57	6.70-15	TR13	1.250	20
58	7.00-15	TR13	1.250	18
59	7.00-15 LV	TR75	1.250	18
60	7.00 R 15	TR75	1.300	15
61	7.00/7.50-16 (L.V)	TR177	1.400	15
62	7.00/7.50-16 (S.V)	TR15	1.250	15
63	8.25-16 (S.V)	TR15	1.600	12
64	8.25-16 (L.V)	TR177	1.600	12
65	600-12	TR15	0.900	20
66	700-12 (LV)	TR75	1.100	20
67	600-9	TR13	0.950	25
68	700-12 (SV)	TR15	1.100	20
69	750-15	TR75A	1.330	15
70	8.15-15	TR75A	1.700	12
71	28.9-15	TR75A	1.700	12
72	8.25-15	TR75A	1.700	12
73	10.00-15	TR15	1.330	15
	<b>TRACTOR</b>			
74	6.00-16	TR15	1.100	20
75	6.50-16	TR15	1.100	20
76	9.00-16	TR177	2.100	10
77	9.00/10.00-16	TR15	2.100	10
78	10.00/75-15.3	TR15	2.100	10
79	6.50-20	TR15	1.400	15
80	12-4-28	TR218A	4.200	5

81	13-6-28	TR218A	4.400	5
82	7.50-18	TR15	1.800	12
83	12.4/11-24	TR218A	4.100	5
84	13.6/12-24	TR218A	4.100	5
85	12.2/12.4-11.28	TR218A	4.200	5
86	13.6/12-28	TR218A	4.200	5
	TRUCKER			
87	9.00-20	TR175A	2.420	10
88	9.00 R 20	TR175A	2.420	10
89	10.00-20 L.W	TR78A	2.800	8
90	10.00-20 H.W	TR78A	3.200	7
91	10.00 R 20	TR78A	3.200	7
92	7.50/8.25-20	TR175A	2.000	10
93	11.00-20	TR78A	3.800	6
94	12.00-20	TR78A	4.000	5
95	13.00-20	TR78A	4.500	5
96	8.3-24	TR218A	3.400	6
97	12.5-20	TR78A	3.600	6
	ADV			
98	6.00-19	TR14	1.250	15
99	7.00-19	TR14	1.700	12
100	8.00-19	TR14	1.750	10
101	5.00-19	TR14	1.250	18
102	600.20(L.V)	TR75	1.350	15
	OTR			
103	12.00-24/25	TR78A	3.500	5
104	12.00-24/25	TR218A	3.500	5
105	13.00-24/25	TR78A	3.700	5
106	13.00-24/25	TR218A	3.700	5
107	16.9.28	TR218A	6.800	3
108	16.9.30	TR218A	7.100	3
109	10.5/80-18	TR218A	2.200	10
110	10.5/80-18	TR15	2.200	10
111	12.5/80-18	TR218A	2.300	10
112	12.5/80-18	TR15	2.300	10
113	10.5/75-15	TR15	3.400	6
114	10.5/20	TR218A	3.400	6
115	10.00-24	TR218A	3.400	6
116	11/12/13-24	TR218A	4.100	5
117	16.9/14-28	TR218A	6.800	3
118	16.9/14-30	TR218A	6.800	3
119	11.00-24	TR78A	3.700	6
120	18.00-24/25	TRJ1175C	9.400	2
121	17.5-25	TRJ1175C	9.400	2
122	16.00-24/25	TRJ1175C	8.800	2
123	15.5-25	TRJ1175C	9.400	2
124	20.5-25	TRJ1175C	10.400	2
125	9-5.24	TR218A	2.700	8

126	14.9-28	TR218A	5.500	4
127	1300/24-25, 1400/24-25	TRJ1175C	5.700	4
128	18.4/15-30	TR218A	9.500	2
	<b>CURING BAGS</b>			
1	600-16	TR8278	2.400	
2	7.50-16	TR8278	3.400	
3	7.00-16	TR8278	3.100	
4	7.00-15	TR8278	3.000	
5	8.25-20	TR8278	4.200	
6	9.00-16	TR8278	4.200	
7	9.00-20	TR8278	5.000	
8	10.00-20	TR8278	5.500	
9	1200-24	TR8278	6.500	
10	12.4.28	TR8278	7.400	
11	16.9.28	TR8278	12.000	
	<b>FLAPS</b>			
1	7.50/9.00-16		1.500	
2	9.00/10.00-20		2.100	